

RESIDENTIAL FIXED WINDOW



FEATURES

01

Best for areas with views and require natural light

02

Superior strength thanks to robust 100mm frames

03

Ability to be either Internally or Externally glaze depending on site requirements

04

Safety-first design with no exposed sharp edges

05

High quality seals for improved weather proofing performance

06

Concealed fixings provide a beautiful clean finish

07

Variety of window style configurations when combined with other Windows


08

Tested to Australian standards

PERFORMANCE

Frame sizes	67mm/100mm
Max. door height	5325mm
Max. door width	6400mm
Max. panel width	NA
Max. panel weight	120kgs
Max. water rating	600pa
Max. wind rating	6000Pa ULS
Max. glass thickness	24mm
Max. acoustic rating	Rw38
Max. bushfire rating	BAL 40

STANDARD CONFIGURATIONS



F



FF



FFF



FFFF






UPGRADE OPTIONS



FlameShield

If you are constructing in a bushfire-prone area, you are required to use bushfire rated building materials for construction.




Sound Smart

Face a heavily trafficked road and you can't hear yourself think? The Sound Smart range will turn a busy thoroughfare into a blissful urban hum.



Solar Comfort

It is a cost effective way to keep homes at a comfortable temperature all year round, acting as extra insulation from outside elements.



Double Glazing

It is designed to reduce the amount of warmth lost during winter and prevent unwanted heat gain during summer.